



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/931,229	08/16/2001	Douglas Elmer Wallace JR.	M-11625 US	2862

7590 06/11/2003

HAMILTON & TERRILE, LLP
P.O. BOX 203518
AUSTIN, TX 78720

EXAMINER

ART UNIT PAPER NUMBER

DATE MAILED: 06/11/2003

Please find below and/or attached an Office communication concerning this application or proceeding.



09/931229

UNITED STATES PATENT AND TRADEMARK OFFICE

UNDER SECRETARY OF COMMERCE FOR INTELLECTUAL PROPERTY AND
DIRECTOR OF THE UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, DC 20231
www.uspto.gov

Paper No.

Notice of Non-Compliant Amendment (Voluntary Revised Practice)


The amendment filed 5/23/03 under the voluntary revised amendment practice guidelines¹, published in the Official Gazette on February 25, 2003 (*Amendments in a Revised Format Now Permitted*, 1267 Off. Gazette 106), does not fully comply with minimal requirements of the voluntary practice. In order for the amendment to be entered, it must either (1) comply with the guidelines of the voluntary revised amendment practice (which practice invokes waivers of certain 37 CFR 1.121(a)-(d) requirements) or (2) comply with current 37 CFR 1.121 requirements.

THE FOLLOWING ITEM(S) IN APPLICANT'S AMENDMENT CAUSES THE AMENDMENT TO BE NON-COMPLIANT WITH THE VOLUNTARY REVISED AMENDMENT PRACTICE.

- ☐ 1. A complete listing of all of the claims is not present in the amendment paper.
- ☐ 2. The listing of claims does not include the text of all claims currently under examination.
- ☐ 3. The claims of this amendment paper have not been presented in ascending numerical order.
- ☐ 4. Each claim has not been provided with a status identifier, and, as such, the individual status of each claim cannot be determined.
- ☒ 5. Other: Brackets are not allowed with the use of the Revised Amendment Practice. Please use strike through
See attachment

LIE: Check one of the following boxes:

- ☐ **PRELIMINARY AMENDMENT:** Applicant is given ONE MONTH from the mail date of this letter to re-submit the amendment in compliance with either the guidelines of the revised amendment practice or current 37 CFR 1.121. Failure to comply with either the current 37 CFR 1.121 practice or with the voluntary practice will result in non-entry of the amendment and examination on the merits will commence without entry of the originally proposed preliminary amendment. This notice is not an action under 35 U.S.C. 132, and this ONE MONTH time limit is not extendable.
- ☒ **AMENDMENT AFTER NON-FINAL ACTION:** Since the above-mentioned reply appears to be a *bona fide* response, applicant is given a TIME PERIOD of ONE MONTH from the mailing of this notice within which to re-submit an amendment which complies with either the voluntary practice guidelines or current 37 CFR 1.121 in order to avoid abandonment. EXTENSIONS OF THIS TIME PERIOD ARE AVAILABLE UNDER 37 CFR 1.136(a).


Supervisory Legal Instruments Examiner (SLIE)

¹ For further explanation of the guidelines of the revised amendment format, please see the posted notice and sample amendment format at:
<http://www.uspto.gov/web/offices/pac/dapp/opla/preognotice/officeflver.pdf> and
<http://www.uspto.gov/web/offices/pac/dapp/opla/preognotice/formatrevamdtprac.pdf>

SAMPLE AMENDMENT FORMAT

Conventional Heading Information
for Amendment Supplied Here (Applicant, Appl. No., etc)

AMENDMENT

Sir:

In response to the Office action of October 10, 2000, please amend the above-identified application as follows:

In the Specification:

Please replace the paragraph beginning at page 5, line 15, with the following rewritten paragraph:

-- In this construction the electric heating elements are positioned directly beneath the iron grid bars and melted fat is carried off in grooves formed in the upper surfaces of the bars. --

In the claims:

Please cancel claim 6.

Please amend claim 7 as follows:

7. (Amended) A griller as claimed in claim 1 wherein the power consumption of the heater element is 1250 watts and the weight of the grill member is about 3.5 kg.

(Page Break)

REMARKS/ARGUMENTS

Claims 1-5 and 7-10 remain in this application. Claim 6 has been canceled. Claim 7 has been amended.

Claims.....

Applicant respectfully requests that a timely Notice of Allowance be issued in this case.

SIGNATURE _____

(Page Break)

VERSION WITH MARKINGS TO SHOW CHANGES MADE

In the specification:

Paragraph beginning at line 15 of page 5 has been amended as follows:

In this construction the electric heating elements are positioned directly beneath the iron grid bars and melted fat is carried off in grooves formed in the upper surfaces of the bars.

In the claims:

Claim 6 has been canceled.

Claim 7 has been amended as follows:

7. (Amended) A griller as claimed in claim 1 wherein the power consumption of the heater element is 1250 ~~1600~~ watts and the weight of the grill member is about 3.5 kg.